Contents of Volume 34

Vol. 34, No 1, May (I) 1997

Expression of the *psbA* gene during photoinhibition and recovery in *Synechocystis* PCC 6714: inhibition and damage of transcriptional and translational machinery prevent the restoration of photosystem II activity
S. Constant, I. Perewoska, M. Alfonso, D. Kirilovsky **1–13**

Expression of *de novo* high-lysine α-helical coiled-coil proteins may significantly increase the accumulated levels of lysine in mature seeds of transgenic tobacco plants
S.J. Keeler, C.L. Maloney, P.Y. Webber, C. Patterson, L.T. Hirata, S.C. Falco, J.A. Rice **15–29**

Potato SNF1-related protein kinase: molecular cloning, expression analysis and peptide kinase activity measurements
A.L. Man, P.C. Purcell, U. Hannappel, N.G. Halford **31–43**

Expression of ethylene biosynthetic genes in *Actinidia chinensis* fruit
D.J. Whittaker, G.S. Smith, R.C. Gardner **45–55**

A phosphate-starvation inducible β-glucosidase gene (*psr* 3.2) isolated from *Arabidopsis thaliana* is a member of a district subfamily of the BGA family
M.A. Malboobi, D.D. Lefebvre **57–68**

Restoration of TATA-dependent transcription in a heat-inactivated extact of tobacco nuclei by recombinant TATA-binding protein (TBP) from tobacco
N. Iwataki, A. Hoya, K. Yamazaki **69–79**

Interaction of tobacco nuclear protein with an elicitor-responsive element in the promoter of a basic class I chitinase gene
Y. Fukuda **81–87**

Ethylene biosynthetic genes are differentially expressed during carnation (*Dianthus caryophyllus* L.) flower senescence
A. ten Have, E.J. Woltering **89–97**

An extracellular insoluble inhibitor of cysteine proteinases in cell cultures and seeds of carrot
A. Ojima, H. Shiota, K. Higashi, H. Kamada, Y. Shimma, M. Wada, S. Satoh **99–109**

Identification of a δ-TIP cDNA clone and determination of related A and D genome subfamilies in *Gossypium* species
D.L. Ferguson, R.B. Turley, R.H. Kloth **111–118**

A new *Arabidopsis* nucleic-acid-binding protein gene is highly expressed in dividing cells during development
V. Hecht, V. Stiefel, M. Delseny, P. Gallois **119–124**

Silencing of a β-1,3-glucanase transgene is overcome during seed formation
T. Balandin, C. Castresana **125–137**

Lysine-rich modified γ-zeins accumulate in protein bodies of transiently transformed maize endosperms
M. Torrent, I. Alvarez, M.I. Geli, I. Dalcol, D. Ludevid **139–149**

Role of PSII-L protein (*psbL* gene product) on the electron transfer in photosystem II complex. 1. Over-production of wild-type and mutant versions of PSII-L protein and reconstitution into the PSII core complex
S. Ozawa, T. Kobayashi, R. Sugiyama, H. Hoshida, T. Shiina, Y. Toyoshima **151–161**

Expression in anthers of two genes encoding *Brassica oleracea* transmembrane channel proteins
R.K. Ruiter, G.J. van Eldik, M.M.A. van Herpen, J.A.M. Schrauwen, G.J. Wullems **163–168**

Short communications

RAP-1 is an *Arabidopsis* MYC-like R protein homologue, that binds to G-box sequence motifs
S. de Pater, K. Pham, J. Memelink, J. Kijne **169–174**

AtPLC2*, a gene encoding phosphoinositide-specific phospholipase C, is constitutively expressed in vegetative and floral tissues in *Arabidopsis thaliana
T. Hirayama, N. Mitsukawa, D. Shibata, K. Shinozaki **175–180**

Vol. 34, No. 2, May (II) 1997

Transcription factor phosphorylation by a protein kinase associated with chloroplast RNA polymerase from mustard (*Sinapis alba*)
S. Baginsky, K. Tiller and G. Link **181–189**

The RY sequence is necessary but not sufficient for the transcription activation of a winged bean chymotrypsin inhibitor gene in developing seeds
Y. Sakata, Y. Chiba, H. Fukushima, N. Matsubara, Y. Habu, S. Naito and T. Ohno **191–197**

A novel gene whose expression in *Medicago truncatula* roots is suppressed in response to colonization by vesicular-arbuscular mycorrhizal (VAM) fungi and to phosphate nutrition
S.H. Burleigh and M.J. Harrison **199–208**

Characterization of nuclease activities and DNA fragmentation induced upon hypersensitive response cell death and mechanical stress
R. Mittler and E. Lam **209–221**

Self-incompatibility in the grasses: evolutionary relationship of the *S* gene from *Phalaris coerulescens* to homologous sequences in other grasses
X. Li, N. Paech, J. Nield, D. Hayman and P. Langridge **223–232**

Molecular characterization of an *Arabidopsis thaliana* cDNA coding for a monofunctional aspartate kinase
V. Frankard, M. Vauterin and M. Jacobs **233–242**

The isolation of a novel metallothionein-related cDNA expressed in somatic and zygotic embryos of Douglas-fir: regulation by ABA, osmoticum, and metal ions
M. Chatthai, K.H. Kaukinen, T.J. Tranbarger, P.K. Gupta and S. Misra **243–254**

A *copia*-like retrotransposon Tgm*r* closely linked to the *Rps1*-k allele that confers race-specific resistance of soybean to *Phytophthora sojae*
M.K. Bhattacharyya, R.A. Gonzales, M. Kraft and R.I. Buzzell **255–264**

PCR-identification of a *Nicotiana plumbaginifolia* cDNA homologous to the high-affinity nitrate transporters of the *crnA* family
A. Quesada, A. Krapp, L.J. Trueman, F. Daniel-Vedele, E. Fernández, B.G. Forde and M. Caboche **265–274**

Differential induction of seven 1-aminoycyclopropane-1-carboxylate synthase genes by elicitor in suspension cultures of tomato (*Lycopersicon esculentum*)
J.H. Oetiker, D.C. Olson, O.Y. Shiu and S.F Yang **275–286**

Cloning and expression of an *Arabidopsis thaliana* cDNA encoding a monofunctional aspartate kinase homologous to the lysine-sensitive enzyme of *Escherichia coli*
G. Tang, J.X. Zhu-Shimoni, R. Amir, I.B.-T. Zchori and G. Galili **287–294**

The ribosomal protein P0 of soybean (*Glycine max* L. Merr.) has antigenic cross-reactivity to soybean seed lectin
K.L. Wycoff, P. van Rhijn and A.M. Hirsch **295–306**

Characterization of 26S proteasome α- and β-type and ATPase subunits from spinach and their expression during early stages of seedling development
N. Ito, K. Tomizawa, K. Tanaka, M. Matsui, R.E. Kendrick, T. Sato and H. Nakagawa **307–316**

Short communications

Potato cysteine proteinase inhibitor gene family: molecular cloning, characterisation and immunocytochemical localisation studies
K. Gruden, B. Štrukelj, M. Ravnikar, M. Poljšak-Prijatelj, I. Mavrič, J. Brzin, J. Pungerčar and I. Kregar **317–323**

Cloning and characterisation of a carrot cDNA coding for a WD repeat protein homologous to *Drosophila* fizzy, human p55CDC and yeast CDC20 proteins
M. Luo, S. Costa, G. Bernacchia and R. Cella **325–330**

Characterization of a barley gene coding for an α-amylase inhibitor subunit (CMd protein) and analysis of its promoter in transgenic tobacco plants and in maize kernels by microprojectile bombardment
J. Grosset, R. Alary, M.-F. Gautier, M. Menossi, J.A. Martinez-Izquierdo and P. Joudrier **331–338**

DNA binding and bending by a chloroplast-encoded HU-like protein overexpressed in *Escherichia coli*
H. Wu and X.-Q. Liu **339–343**

Characterisation of a pea hsp70 gene which is both developmentally and stress-regulated
O.P. Dhankher, J.E. Drew and J.A. Gatehouse **345–352**

A chloroplast derived *trnH* gene is expressed in the mitochondrial genome of gramineous plants
A. Kanno, M. Nakazono, A. Hirai and T. Kameya **353–356**

Expression of human muscarinic cholinergic receptors in tobacco
J.-H. Mu, N.-H. Chua and E.M. Ross **357–362**

Expression of C_3 and C_4 photosynthetic characteristics in the amphibious plant *Eleocharis vivipara*: structure and analysis of the expression of isogenes for pyruvate, orthophosphate dikinase
S. Agarie, M. Kai, H. Takatsuji and O. Ueno **363–369**

Vol. 34, No. 3, June 1997

Characterization and expression of two members of the *S*-adenosylmethionine decarboxylase gene family in carnation flower
M.M. Lee, S.H. Lee and K.Y. Park **371–382**

The maize mitochondrial plasmid RNA *b* is associated with protein during synthesis but is not encapsidated
N. Formanová and G.G. Brown **383–392**

Tissue-specific activation of the osmotin gene by ABA, C_2H_4 and NaCl involves the same promoter region
K.G. Raghothama, A. Maggio, M.L. Narasimhan, A.K. Kononowicz, G. Wang, M.P. D' Urzo, P.M. Hazegawa and R.A. Bressan **393–402**

DNA-binding properties, genomic organization and expression pattern of *TGA6*, a new member of the *TGA* family of bZIP transcription factors in *Arabidopsis thaliana*
C. Xiang, Z. Miao and E. Lam **403–415**

An ozone-responsive region of the grapevine resveratrol synthase promoter differs from the basal pathogen-responsive sequence
R. Schubert, R. Fischer, R. Hain, P.H. Schreier, G. Bahnweg, D. Ernst and H. Sandermann Jr. **417–426**

The phosphoenolpyruvate carboxylase (*ppc*) gene family of *Flaveria trinervia* (C_4) and *F. pringlei* (C_3): molecular characterization and expression analysis of the *ppcB* and *ppcC* genes
K. Ernst and P. Westhoff **427–443**

Expression of a wheat ADP-glucose pyrophosphorylase gene during development of normal and water-stress-affected anthers
S. Lalonde, D. Morse and H.S. Saini **445–453**

Site-directed mutagenesis of the basic residues ^{321}K to ^{321}G in the CP 47 protein of photosystem II alters the chloride requirement for growth and oxygen-evolving activity in *Synechocystis* 6803
C. Putnam-Evans and T.M. Bricker **455–463**

Footprinting of the spinach nitrite reductase gene promoter reveals the preservation of nitrate regulatory elements between fungi and higher plants
R. Rastogi, N.J. Bate, S. Sivasankar and S.J. Rothstein **465–476**

Expression of arginine decarboxylase in seedlings of indica rice (*Oryza sativa* L.) cultivars as affected by salinity stress
M.K. Chattopadhyay, S. Gupta, D.N. Sengupta and B. Ghosh **477–483**

Specific sequence modifications of a *cry*3B endotoxin gene result in high levels of expression and insect resistance
R. Iannacone, P.D. Grieco and F. Cellini **485–496**

Isolation of a cDNA encoding an *Arabidopsis* galactokinase by functional expression in yeast
C.P. Kaplan, H. B. Tugal and A. Baker **497–506**

Interaction of rice and human SRP19 polypeptides with signal recognition particle RNA
K. Chittenden, K. Gowda, S.D. Black and C. Zwieb **507–515**

Differential display-mediated isolation of a genomic sequence for a putative mitochondrial LMW HSP specifically expressed in condition of induced thermotolerance in *Arabidopsis thaliana* (L.) Heynh.
G. Visioli, E. Maestri and N. Marmiroli **517–527**

Chromosomal location and expression of the single-copy gene encoding high-mobility-group protein HMG-I/Y in *Arabidopsis thaliana*
R. Gupta, C.I. Webster, A.R. Walker and J.C. Gray **529–536**

The *Brassica rapa elongated internode (EIN)* gene encodes phytochrome B
P.F. Devlin, D.E. Somers, P.H. Quail and G.C. Whitelam **537–547**

Short communications

Promoter sequences from two different *Brassica napus* tapetal oleosin-like genes direct tapetal expression of β-glucuronidase in transgenic *Brassica* plants
H.P. Hong, J.H.E. Ross, J.L. Gerster, S. Rigas, R.S.S. Datla, P. Hatzopoulos, G. Scoles, W. Keller, D.J. Murphy and L.S. Robert **549–555**

Characterization and expression of a rice RAD23 gene
T.F. Schultz and R.S. Quatrano **557–562**

Vol. 34, No. 4, July (I) 1997

Characterization of the putative α subunit of a heterotrimeric G protein in rice
Y. Iwasaki, T. Kato, T. Kaidoh, A. Ishikawa and T. Asahi **563–572**

Characterization of *SaMADS D* from *Sinapis alba* suggests a dual function of the gene: in inflorescence development and floral organogenesis
F. Bonhomme, H. Sommer, G. Bernier and A. Jacqmard **573–582**

Molecular cloning and biochemical characterization of carbonic anhydrase from *Populus tremula* × *tremuloides*
S. Larsson, H. Björkbacka, C. Forsman, G. Samuelsson and O. Olsson **583–592**

Expression of a novel-type small proline-rich protein gene of alfalfa is induced by 2,4-dichlorophenoxiacetic acid in dedifferentiated callus cells
J. Györgyey, K. Németh, Z. Magyar, Z. Kelemen, T. Alliotte, D. Inzé and D. Dudits **593–602**

***Bnm*1, a *Brassica* pollen-specific gene**
B.K. Treacy, J. Hattori, I. Prud'homme, E. Barbour, K. Boutilier, C.L. Baszczynski, B. Huang, D.A. Johnson and B.L. Miki **603–611**

Transcription of genes for conglutin γ and a leginsulin-like protein in narrow-leafed lupin
S.C. Ilgoutz, N. Knittel, J.M. Lin, S. Sterle and K.R. Gayler **613–627**

A drought-stress-inducible histone gene in *Arabidopsis thaliana* is a member of a distinct class of plant linker histone variants
R. Ascenzi and J.S. Gantt **629–641**

cDNA structure and expression patterns of a low-temperature-specific wheat gene *tacr7*
J.A. Gana, F. Sutton and D.G. Kenefick **643–650**

Control of the synthesis of ribulose-1,5-bisphosphate carboxylase/oxygenase large-subunit in cotyledons during dark growth of sugar beet seedlings
A. El Amrani, M. Freire, B. Camara and I. Couée **651–657**

GUS expression in *Arabidopsis* directed by 5′ regions of the pea metallothionein-like gene *PsMT*$_A$
A.P. Fordham-Skelton, C. Lilley, P.E. Urwin and N.J. Robinson **659–667**

***Cuphea wrightii* thioesterases have unexpected broad specificities on saturated fatty acids**
J.M. Leonard, M.B. Slabaugh and S.J. Knapp **669–679**

Short communications

Characterization of a lily tapetal transcript that shares sequence similarity with a class of intracellular pathogenesis-related (IPR) proteins
J.-C. Huang, F.-C. Chang and C.-S. Wang **681–686**

Tetracycline-dependent activation of an upstream promoter reveals transcriptional interference between tandem genes within T-DNA in tomato
A.J. Thompson and S.C. Myatt **687–692**

Molecular genetic and biochemical analysis of *Brassica naput* proliferating cell nuclear antigen function
N.-A. Markley, D. Young, P. Laquel, M. Castroviejo and M.M. Moloney **693–700**

Vol. 34, No. 5, July (II) 1997

Characterization of the gene for pyruvate orthophosphate dikinase from rice, a C3 plant, and a comparison of structure and expression between C3 and C4 genes for this protein
N. Imaizumi, M.S.B. Ku, K. Ishihara, M. Samejima, S. Kaneko and M. Matsuoka **701–716**

Do nonasterid holoparasitic flowering plants have plastid genomes?
D.L. Nickrent, Y. Ouyang, R.J. Duff and C.W. dePamphilis **717–729**

Structural analysis of plastid-derived 16S rRNAs in holoparasitic angiosperms
D.L. Nickrent, R.J. Duff and D.A.M. Konings **731–743**

Structure and expression of polyubiquitin genes in different *Arabidopsis thaliana* ecotypes
C.-W. Sun, S. Griffen and J. Callis **745–758**

Melon ascorbate oxidase: cloning of a multigene family, induction during fruit development and repression by wounding
G. Diallinas, I. Pateraki, M. Sanmartin, A. Scossa, E. Stilianou, N.J. Panopoulos and A.K. Kanellis **759–770**

Cloning of a WD-repeat-containing gene from alfalfa (*Medicago sativa*): a role in hormone-mediated cell division?
H.I, McKhann, F. Frugier, G. Petrovics, T.C. de la Peña, E. Jurkevitch, S. Brown, E. Kondorosi, A. Kondorosi and M. Crespi **771–779**

Molecular characterization of three differentially expressed members of the *Camptotheca acuminata* 3-hydroxy-3-methylglutaryl CoA reductase (HMGR) gene family
I.E. Maldonado-Mendoza, R.M. Vincent and C.L. Nessler **781–790**

Characterization of *ppEG1*, a member of a multigene family which encodes endo-β-1,4-glucanase in peach
L. Trainotti, S. Spolaore, L. Ferrarese and G. Casadoro **791–802**

Short communications

Regulatory activity exerted by the *SAUR-AC1* promoter region in transgenic plants
P. Gil and P.J. Green **803–808**

Identification of the tobacco and *Arabidopsis* homologues of the pollen-expressed LAT59 gene of tomato
R. Kulikauskas and S. McCormick **809–814**

Sequencing, expression pattern and RFLP mapping of a senescence-enhanced cDNA from *Zea mays* with high homology to oryzain γ and aleurain
C.M. Griffitsh, S.E. Hosken, D. Oliver, J. Chojecki and H. Thomas **815–821**

Transcription initiation sites for sorghum mitochondrial *atp9* are positioned immediately 3′ to *trn*fM
B. Yan, R.A. Salazar and D.R. Pring **823–829**

Foldback transposable elements in plants
D. Rebatchouk and J.O. Narita **831–835**

Vol. 33, No. 6, August 1997

Publisher's Notice **v**

Cloning and characterization of elongation specific endo-1,4-β-glucanase *(cel* 1*)* from *Arabidopsis thaliana*
Z. Shani, M. Dekel, G. Tsabary, O. Shoseyov **837–842**

Maize glutathione-dependent formaldehyde dehydrogenase cDNA: a novel plant gene of detoxification
J. Fliegmann, H. Sandermann Jr. **843–854**

Effect of pollination on accumulation of ACC synthase and ACC oxidase transcripts, ethylene production and flower petal abscission in geranium (*Pelargonium* x *hortorum* L.H. Bailey)
D.G. Clark, C. Richards, Z. Hilioti, S. Lind-Iversen, K. Brown **855–865**

Cloning, molecular characterization and expression pattern of a strawberry ripening-specific cDNA with sequence homology to pectate lyase from higher plants
N. Medina-Escobar, J. Cárdenas, E. Moyano, J.L. Caballero, J. Muñoz-Blanco **867–877**

ACGT and vicilin core sequences in a promoter domain required for seed-specific expression of a 2S storage protein gene are recognized by the opaque-2 regulatory protein
M. Vicenz, A. Leite, G. Neshich, G. Vriend, C. Mattar, L. Barros, D. Weinberg, E.R. de Almeida, M. Pães de Carvalo, F. Aragão, E.S. Gander **879–889**

Characterization of *Zea Mays* endosperm C-24 sterol methyltransferase: one of two types of sterol methyltransferase in higher plants
R.J. Grebenok, D.W. Galbraith, D. Della Penna **891–896**

Cloning and characterization of the calreticulin gene from *Ricinus communis* L.
S.J. Coughlan, G. Hastings, R. Winfrey Jr. **897–911**

Frequent collinear long transfer of DNA inclusive of the whole binary vector during *Agrobacterium*-mediated transformation
A. Wenck, M. Czakó, I. Kanevski, L. Márton **913–922**

Differential and wound-inducible expression of 1-aminocylopropane-1-carboxylate oxidase genes in sunflower seedlings
J.-H. Liu, S.H. Lee-Tamon, D.M. Reid **923–933**

Molecular cloning and characterization of desacetoxyvindoline-4-hydroxylase, a 2-oxoglutarate dependent-dioxygenase involved in the biosynthesis of vindoline in *Catharantus roseus* (L.) G. Don
F. Vazquez-Flota, E. De Carolis, A.-M. Alarco, V. De Luca **935–948**

Cloning and expression of a PR5-like protein from *Arabidopsis*: inhibition of fungal growth by bacterially expressed protein
X. Hu, A.S.N. Reddy **949–959**

Short communications

A promoter directing epidermal expression in transgenic alfalfa
S. Mandaci, M.S. Dobres **961–965**

Cloning and expression of an *Arabidopsis* gene encoding a putative peroxisomal ascorbate peroxidase
H. Zhang, J. Wang, U. Nickel, R.D. Allen, H.M. Goodman **967–971**

Errata **973–974**

Instructions to authors **975–978**

Contents of Volume 34 **979–986**

Author index **987–988**